## The HOUSING ENABLER Screening Tool

## Screening forms

Date
User's name
Address of dwelling
Identification code

## **HOUSING STANDARD**

(according to current Swedish standards, Boverket, 2008)

THE FOLLOWING NECESSARY HOUSING FUNCTIONS <u>ARE PRESENT</u> in the dwelling as a whole: (Mark with a cross)

Yes	No	
		Room with furnishings and equipment for personal hygiene
		Room or separable part of room for everyday socializing
		Room or separable part of room for sleep and rest
		Room or separable part of room with furnishings and equipment for cooking
		Place for meals in or close to a room with furnishings and
_	_	equipment for cooking
		Place for working
		Entrance area with place for outdoor clothes, etc.
		Place for washing and drying clothes by machine if there are no communal laundry facilities
		Spaces and furnishings for storage
Yes		Hygiene area Separable bed place (bed recess) Cooking facilities Dining place Place for armchairs/sofa Entrance area Place for storage (private space for the resident) Place for washing and drying clothes by machine if there are no
		Place for washing and drying clothes by machine if there are no communal laundry facilities
The	follow	ing features <u>ARE PRESENT</u> near the dwelling:
Yes	No	Room for storing prams, bicycles, outdoor wheelchairs, rollators, and the like (in multi-dwelling buildings this means a communal area for more than one resident)

To enable comparisons between the two different versions of the instrument, the numbering of the items agrees with that in the complete version of the Housing Enabler (Iwarsson & Slaug, 2010), which means that the numbers here are not in a complete consecutive sequence.

Note: Assess the dwelling as it would be unfurnished and without assistive devices of that kind that people take with them when moving.

Measurement accuracy: Base the assessment on dimensions stated in mm/cm in the range 0–50 cm. For larger dimensions in section A apply an accuracy of  $\pm 5$  cm, in sections B and C  $\pm 1$  cm.

A. Exterior surroundings	NOTES	Rating
A16. Passenger loading zones far from entrance (more than 5 m).	Note whether there is a locked barrier.	☐ Yes☐ No☐ Not rated
Path surfaces		
A1. Paths narrower than 1.5 m.	A width of 1.0 m is acceptable provided there are 1.5 m turning zones at least every 10 m.	Yes No Not rated
A2. Irregular/uneven surface (irregular surfacing, joins, sloping sections, cracks, holes; 5 mm or more).		Yes No Not rated
A3. Unstable surface (loose gravel, sand, clay, etc.).	Mark if it causes difficulties e.g. when using a wheelchair or rollator.	☐ Yes☐ No☐ Not rated
A4. Steep gradients (more than 1:20).	Does not include ramp at entrance.	☐ Yes ☐ No ☐ Not rated
A5. Routes with steps.	An alternative route with a ramp that meets the standard is accepted.	☐ Yes☐ No☐ Not rated
A6. No/insufficient tactile cues of abrupt level changes/other hazards.		☐ Yes☐ No☐ Not rated
A7. High kerbs (more than 4 cm).		☐ Yes☐ No☐ Not rated
A8. Kerb ramps with steep gradients.		☐ Yes☐ No☐ Not rated
A10. No handrails on steep gradients.	Handrail on only one side is sufficient. Definition of "steep", see A4.	Yes No Not rated

A. Exterior surroundings	NOTES	Rating
A11. No resting surfaces (2 m) or too short/long distances between them on slopes (max. 6 m between resting surfaces).		☐ Yes☐ No☐ Not rated
A12. Poor/uneven/dazzling lighting along circulation paths.	Note whether the rating is performed in daylight or darkness	☐ Yes☐ No☐ Not rated
Seating places		
A20. No/too few seating places (should be located every 25 m close to the entrance, thereafter at least every 100 m).		☐ Yes ☐ No ☐ Not rated
Other features		
Accessibility via footpaths etc. outdoors is rated under EXTERIOR SURROUNDINGS. A whole indoor flight of stairs is rated at B12–B17 (in the entrance) or C8–C15 (inside the flat).	Note that this rating should only add further barriers, e.g. a flight of stairs and/or a threshold/difference in level over and above what has to be passed in the entrance, i.e. to/ from the flat.	
A25. Refuse room/refuse bin can only be reached via steps or other differences in level (more than 15 mm).		☐ Yes☐ No☐ Not rated
A26. Letterbox can only be reached via steps or other differences in level (more than 15 mm).		☐ Yes☐ No☐ Not rated
A27. Refuse bin difficult to reach (not at 0.8–1.0 m above ground, or other problem).	Refers to the opening of the bin; all refuse containers including battery boxes.	☐ Yes ☐ No ☐ Not rated
A28. Letterbox difficult to reach (not at 0.8–1.1 m above ground, no basket on the inside of the apartment door, or other problem).	Refers to the opening of the letterbox.	☐ Yes☐ No☐ Not rated
C85. Storage areas can only be reached via stairs/threshold or other difference in level (more than 15 mm) and/or more than 25 m from entrance.		☐ Yes ☐ No ☐ Not rated

A. Exterior surroundings	NOTES	Rating
C86. Laundry room can only be reached via stairs/threshold or other difference in level (more than 15 mm) and/or more than 25 m from entrance.		☐ Yes ☐ No ☐ Not rated
C87. Inappropriate design of door to laundry room (clearance less than 84 cm, heaviness, etc).	Equipment in a communal laundry should not be rated.	☐ Yes☐ No☐ Not rated☐
B. Entrances	NOTES	Rating
Refers to stairs, ramps, and lifts at the entrance and/or in stairwells. Steps in the actual dwelling are rated under C.	Assess the entrance that is used most frequently. Sitting-out place/balcony is assessed under a separate heading below.	
<u>Doors</u>	B1–B11 refer to all doors from entrance door to apartment door, including lift door.	
B1. Narrow door openings (less than 84 cm clearance).		☐ Yes ☐ No ☐ Not rated
B2. High thresholds and/or steps at the entrance (more than 15 mm).		☐ Yes☐ No☐ Not rated
B3. Insufficient manoeuvring space at doors (clearance less than 1.5 × 1.5 m, outside and inside, 70 cm on the opening side of the door at the main entrance, 50 cm at apartment door).	Refers to <b>clearance</b> ; note the difference between B3 and B5.	☐ Yes☐ No Not rated
B5. No resting area in front of entrance door (maximum gradient 1:50, less than 1.5 × 1.5 m).	Refers to a <b>level</b> area; note difference between B3 and B5.	☐ Yes☐ No☐ Not rated☐
B6. Heavy doors without automatic opening.		☐ Yes☐ No☐ Not rated
B9. Doors that do not stay in open position/close quickly.		☐ Yes☐ No☐ Not rated
B11. Complicated/illogical opening procedure.	Also includes entry phone.	☐ Yes ☐ No ☐ Not rated

No
Not rated

B. Entrances	NOTES	Rating
<u>Stairs</u>		
B12. Stairs the only route (no lift/ramp).		☐ Yes☐ No☐ Not rated
B14. High, low, and/or irregular heights of risers (other height than 15–17 cm).		☐ Yes☐ No☐ Not rated
B16. No handrails/handrail on one side only.		☐ Yes ☐ No ☐ Not rated
B17. Handrails too short (must continue 30 cm before/after the stairs) and/or interrupted at landing.	This requirement is considered met if one of the handrails continues without interruption at landing.	☐ Yes ☐ No ☐ Not rated
Sitting-out place/balcony		
B43. Narrow door (less than 84 cm clearance).		☐ Yes ☐ No ☐ Not rated
B44. High threshold/level difference/ step (more than 15 mm).		☐ Yes ☐ No ☐ Not rated
C. Indoor environment	NOTES	Rating
General	Assessment of C1–C4 is linked to the concept of "necessary housing functions", meaning that all doors leading to these places are included in the screening, but not those leading to other housing functions/areas.	
C1. Steps/thresholds/differences in level between rooms/floor spaces (more than 15 mm).		☐ Yes☐ No☐ Not rated
C3. Narrow passages/corridors in relation to fixtures/design of the building (less than 1.3 m).		☐ Yes☐ No☐ Not rated
C4. Narrow doors (less than 76 cm clearance).		☐ Yes ☐ No ☐ Not rated

C. Indoor environment	NOTES	Rating
Other controls and operable hardware (except in kitchen, hygiene room)	Refers to window and door fittings, locks, switches, and other fixtures, but not in kitchen or hygiene room (assessed in the respective section).	
C79. Complex manoeuvres (more than one operation/movement) and good precision required.		☐ Yes☐ No☐ Not rated
C81. Use requires hands.		☐ Yes☐ No☐ Not rated
C83.  More than half of controls in high/inaccessible position (more than 1.1 m above the floor).		☐ Yes ☐ No ☐ Not rated
<u>Stairs</u>	Applies only is there are stairs inside the flat. If the flat is on one level, mark "not rated" for C8–C9.	
C8. Stairs to upper storey with necessary dwelling functions.	C8–C9 refer to stairs between floors = no lift. More than one of these items may be marked.	☐ Yes☐ No☐ Not rated
C9. Stairs to basement with necessary dwelling functions.		☐ Yes ☐ No ☐ Not rated
C14. No handrails/handrail on one side only.		☐ Yes ☐ No ☐ Not rated
C15. Handrails too short (must continue 30 cm before/after the stairs) and/or interrupted at the landing.	This requirement is considered met if one of the handrails continues without interruption at landing.	☐ Yes ☐ No ☐ Not rated
<u>Kitchen</u>	Refers to fixtures, equipment, etc.	
C20. Insufficient manoeuvring spaces around white goods/storage units (service area less than 1.2 m in front).		☐ Yes☐ No☐ Not rated
C21. Wall-mounted cupboards and shelves placed high (lowest shelf more than 50 cm above the working surface or more than 1.4 m above the floor).	Measure from the lowest cupboard/shelf.	☐ Yes ☐ No ☐ Not rated

C. Indoor environment	NOTES	Rating
C22. No surface at a height suitable for sitting while working (84 cm or lower required).	Refers to fixtures, not furniture.	Yes No Not rated
C26. Shelves too deep (more than 30 cm). Deeper shelves require pullout shelves/turntable units.	Mark this if more than 50% of floor cupboards and full-height cupboards are too deep and lack these facilities.	☐ Yes☐ No☐ Not rated
Controls and operable hardware	Refers to taps, controls on cooker, dishwasher, etc., window and door handles, locks, switches, and other fixtures.	
C38. Complex manoeuvres and good precision required.		☐ Yes ☐ No ☐ Not rated
C40. Use requires hands.		<ul> <li>☐ Yes</li> <li>☐ No</li> <li>☐ Not rated</li> </ul>
C42.  More than half of controls in high/ inaccessible position (more than 1.1 m above the floor).	Refers to switches, sockets, handles of cupboards and drawers, controls on white goods, etc.	☐ Yes☐ No☐ Not rated
Hygiene area		
C44. Insufficient manoeuvring spaces where turning is necessary (less than 1.3 x 1.3 m).		☐ Yes☐ No☐ Not rated
C45. Insufficient space for stool, bath board, or equivalent, or other problem in shower/bath.		☐ Yes☐ No☐ Not rated
C46. No grab bar at shower/bath and/ or toilet.		☐ Yes ☐ No ☐ Not rated
C63. Wash-basin placed at a height for use only when standing (top edge 81 cm or more above floor).		☐ Yes☐ No☐ Not rated
C64. Toilet 47 cm or lower.	Including seat.	☐ Yes☐ No☐ Not rated
C70. Shower stall with kerb/level difference.	A soft rubber edge that allows passage with wheeled mobility devices is acceptable.	☐ Yes☐ No☐ Not rated

C. Indoor environment	NOTES	Rating
C71. Bathtub instead of shower space.		☐ Yes☐ No☐ Not rated
Controls and operable hardware	Refers to taps, window and door handles, locks, switches, and other fixtures.  If there is a washing machine/drier in the hygiene room, this should also be assessed.	
C57. Complex manoeuvres and good precision required.		Yes No Not rated
C59. Use requires hands.		☐ Yes ☐ No ☐ Not rated
C61.  More than half of controls in high/ inaccessible position (more than 1.1 m above the floor).		☐ Yes☐ No☐ Not rated